



trail jet 125




... ➔ www.falch.com





trail jet 125

accessories



trail jet 125 2500-26-0-d

trail jet 125 3000-22-0-d

	600 - 2500 bar		600 - 3000 bar
	10 - 26 l/min		10 - 22 l/min
	129 kW / 125 kW 2300 rpm, 1000 rpm, 4 cyl., 4760 ccm		129 kW / 125 kW 2300 rpm, 1000 rpm, 4 cyl., 4760 ccm
	18,5 l/h		18,5 l/h
	125 kW / 600 rpm, 2,0 - 8,0 bar, 40° C		125 kW / 600 rpm, 2,0 - 8,0 bar, 40° C
	021 USgal/min / 1,05 mm		017 USgal/min / 0,95 mm
	■		■
	■		■
	24 h		24 h
	24 month		24 month
	400 l		400 l
	220 l		220 l
	1940 kg		1940 kg
	3750 x 1980 x 2050 mm		3750 x 1980 x 2050 mm
	LpA = 93, LwA = 115 db		LpA = 93, LwA = 115 db
	g556		g574

competence for water jetters:



falch gmbh

siemensstrasse 1 - 7

89188 merklingen (germany)

+49 (0)7337/81-0

+49 (0)7337/81-181

info@falch.com / www.falch.com